Redel Petipto 15 DEC 2004

# PATENT COOPERATION TREATY

REC'D 2 4 JUN 2004

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABLIMING (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference MP 03-017	FOR FURTHER ACTION See Form PCT/IPEA/416				
International application No.	International filing date (day/month/year)	Priority date (day/month/year)			
PCT/SE 2003/000871	28-05-2003				
International Patent Classification (IPC) of	1	20-06-2002			
GOIH 11/04, GOIB 7/24	, G01L 1/12, G01P 15/11				
	·				
Applicant					
1	_				
COVIAL DEVICE AB et a	1				
This report is the international pre Authority under Article 35 and tr	climinary examination report, established by thi ansmitted to the applicant according to Article	s International Preliminary Examining			
2. This REPORT consists of a total					
	<del></del>	sheet.			
3. This report is also accompanied b	y ANNEXES, comprising:				
a. (sent to the applicant	and to the International Bureau) a total of	sheets, as follows:			
	description, claims and/or drawings which have				
and/or sheets	containing rectifications authorized by this Aut	hority (see Rule 70.16 and Section 607 of the			
sheets which	supersede earlier sheets, but which this Authori	ty considers contain an amendment that goes			
beyond the di Supplemental	sclosure in the international application as filed	, as indicated in item 4 of Box No. I and the			
b. (sent to the Internation	onal Bureau only) a total of (indicate type and n	umber of electronic carrier(s))			
<u></u>	, containing a sequence listing	and/or tables related thereto, in computer			
readable form only, a Administrative Instru	s indicated in the Supplemental Box Relating to	Sequence Listing (see Section 802 of the			
4. This report contains indications re	lating to the following items:				
l	f the report				
Box No. II Priority					
Box No. III Non-esi	ablishment of opinion with regard to novelty, in	nventive step and industrial applicability			
f <u> </u>	unity of invention				
Box No. V Reason	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
	documents cited	ir statement			
Box No. VII Certain					
Box No. VIII Certain					
Date of submission of the demand  Date of completion of this report					
Date of submission of the demand	Date of completion of	of this report			
10-12-2003	13-05-2004	13-05-2004			
Name and mailing address of the IPEA/SI	Authorized officer	Authorized officer			
Patent- och registreringsverket Box 5055					
S-102 42 STOCKHOLM  Henrik Eriksson /itw					
Facsimile No. +46 8 667 72 88	Telephone No. +46	Telephone No. +46 8 782 25 00			
Form PCT/IPEA/409 (cover sheet) (January 2004)					

## INTERNATIONAL PRELIMIN

### REPORT ON PATENTABILITY

International application No.			
PCT.	2003/000871		

Box	No. I	Ba	sis of the report			
<ol> <li>With regard to the language, this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item.</li> </ol>						
		This rep which is	port is based on a translation from the original language into the following language is the language of a translation furnished for the purposes of:	,		
			international search (under Rules 12.3 and 23.1(b))			
			publication of the international application (under Rule 12.4)			
			international preliminary examination (under Rules 55.2 and/or 55.3)			
2.	With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):					
	Ц	the inte	ternational application as originally filed/furnished			
	$\boxtimes$		scription:			
				as originally filed/furnished		
		pages*	* 12 A1 * A 4 *			
	$\square$	-				
	$\bowtie$	the cla		as originally filed/furnished		
		pages <sup>4</sup>		• •		
			* 16-17 received by this Authority on 10-1	12-2003		
		pages*				
	$\boxtimes$	the dra	rawings:			
		pages		as originally filed/furnished		
		pages'				
		pages'		i i		
		a sequ	uence listing and/or any related table(s) - see Supplemental Box Relating to Sequence	: Figuris.		
3.		The a	amendments have resulted in the cancellation of:			
ļ			the description, pages			
			the claims, Nos.			
			the drawings, sheets/figs	<del></del>		
			the sequence listing (specify):	<del></del>		
			any table(s) related to the sequence listing (specify):			
4.		This made,	report has been established as if (some of) the amendments annexed to this report e, since they have been considered to go beyond the disclosure as filed, as indicated (c)).	and listed below had not been in the Supplemental Box (Rule		
			the description, pages	<del></del>		
			the claims, Nos.			
			the drawings, sheets/figs			
			the sequence listing (specify):			
			any table(s) related to the sequence listing (specify):			
* If item 4 applies, some or all of those sheets may be marked "superseded."						

Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
	citations and explanations supporting such statement

#### 1. Statement

Novelty (N)	Claims Claims	1-7	YES NO
Inventive step (IS)	Claims Claims	1-7	YES NO
Industrial applicability (IA)	Claims	1-7	YES NO

#### 2. Citations and explanations (Rule 70.7)

Documents cited in the International Search Report:

D1: US 5275049 A D5: US 5321985 A D2: US 4463610 A D6: EP 0330311 A2 D3: US 5982054 A D7: DE 4309413 A1

D4: US 5194806 A

Documents D1-D4, cited as category X in the Search Report, have been reconsidered to define the general state of the art. Documents D5-D7 also define the general state of the art.

This examination report is based upon the amended claims as filed with the letter of 10-12-2003.

Document D1 discloses an acceleration sensor that comprises magneto-elastic layers (1.6 in fig.1) and a sensor coil (1.5). When the sensor is accelerated, a seismic mass (1.4) is adapted to exert a force on the magneto-elastic measuring layer. Then, the magnetic permeability of the magneto-elastic measuring layer influences the inductance of the sensor coil.

Documents D2-D4 also disclose vibration or strain sensors with magnetostrictive elements that induce voltages in surrounding coils.

Document D1 is considered to represent the closest prior art. The subject-matter claimed differs from D1 in that temporary inner material oscillations, so-called acoustic emission, can be detected with freely suspended amorphous or nanocrystalline band elements. The claimed invention makes it possible to

.../...

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE 2003/000871

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: Box  $\,V\,$ 

detect atomic movements or oscillations.

Documents D1-D4 do not disclose a method or an apparatus for measuring acoustic emission with freely suspended amorphous or nanocrystalline band elements and no relevant combination of the cited documents would lead a person skilled in the art to the invention defined in the claims. The invention according to claims 1-7 is thus novel and is considered to involve an inventive step. It is also considered to be industrially applicable.

#### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT

2003/000871

#### Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

Some of the references in the description refer to wrong figures. For example, on page 7, line 30, a reference is made to a half bridge connection in figure 2. However, such a connection cannot be seen in figure 2. The reference on page 10, line 27 is also wrong.

# WHAT IS CLAIMED IS:

5

10

15

20

- 1. A method of sensing and indicating permanent state deviations via detection of temporary inner material oscillations, so-called acoustic emission, in real time in parts of importance for hardware design and construction, within existing production equipment, e.g. machinery, and/or monitoring of previously built-up infrastructure, characterised in that one or more at least approximately 20 µm thick amorphous or nanocrystalline, magnetically heat-treated band elements with high permeability and relatively high magnetostriction are applied in freely suspended manner to a pertinent part, each respective band element being at least partly surrounded by multi-turn coils, of which either the band elements or the coils or both are set in a magnetised basic or initial state, such atomic movements (oscillations) which occur in any optional such state deviation being transferred to the respective band elements, the deviation either giving rise to a clearly measurable and detectable magnetic flow change (dB/dt) in the respective coil in proportion to said atomic movements, or a similarly measurable and detectable inductance change in the respective coil.
- 2. An apparatus for sensing and indicating permanent state deviations via detection of temporary inner material oscillations, so-called acoustic emission, in real time in parts of importance for hardware design and construction, within existing production equipment, e.g. machinery, and/or monitoring of previously built-up infrastructure, characterised in that it comprises one or more at least approximately 20 µm thick amorphous or nanocrystalline, magnetically heat-treated band elements of high permeability and relatively high magnetostriction, which band element/elements being freely suspended and surrounded by multi-turn coils of which either the band elements or the coils or both, are set in a magnetised basic or initial state, such atomic movements (oscillations) as occur in any optional such state deviation, in connection with being transferred to the band element/elements, either giving rise to a clearly measurable and detectable magnetic flow change (dB/dt) in the respective coil in proportion to the atomic movements, or a similarly measurable and detectable inductance change in the respective coil.
- 3. The apparatus as claimed in Claim 2, characterised in that the band element/elements with associated coil/coils are enclosed in an elastically deformable epoxy polymer.

30

· 25

- 4. 'The apparatus as claimed in Claim 2 or 3, characterised in that the band element/elements and the coil/coils are glued to the object whose permanent state deviations are to be indicated.
- 5. The apparatus as claimed in any of Claims 2 to 4, characterised in that the sensitivity thereof is different depending upon the orientation of the detection direction in relation to the rolling direction of the band element/elements, as a consequence of directional dependent properties in the material.
  - 6. The apparatus as claimed in any of Claims 2 to 5, characterised in that the band elements with associated coils are bridge- and amplifier connected in order to increase sensitivity and detectability, respectively.
  - 7. The apparatus as claimed in any of Claims 2 to 6, characterised in that it is realised as a glass breakage indicator.

15

·\* 10